



## PREPERATION FOR ANT TREATMENT

To help **reduce** the number of ants in your home it is necessary to follow these guidelines:

1. Ensure that all pet food, wet or dry, is placed in a sealed container overnight.
2. Ensure that all food items, cookies, candies, fruit, nuts, including pizza boxes are stored in a sealed container or the fridge overnight.
3. Store baby bottles and nipples in air tight plastic bags.
4. Clean up food sources such as any sugary spills and garbage.

### Outline of Treatment

A gel formula and / or ant bait stations will be used.

Bait stations must be left where the technician places them.

The products being used have extremely low toxicity and do not have any fumes or odor. It is not necessary for people or pets to leave the unit during or after this treatment.

### After Treatment Information

Following the treatment, the bait **must** be left where the technician has placed them.

**DO NOT** spray any insecticides or use cleaning chemicals on or near the bait placement.

Expect to continue to have activity for approximately **2 – 3 weeks** following the treatment.



## PREPARACIÓN PARA EL TRATAMIENTO DE LA HORMIGA

Para ayudar a **reducir** el número de las hormigas en su hogar es necesario, siga estas directrices:

- 1 Asegúrese de que todos los alimentos para mascotas, húmedos o secos, se colocan en un recipiente cerrado durante la noche
- 2 A asegurar que todos los elementos de alimentos, galletas, dulces, frutas, nueces, incluyendo pizza cuadros se almacenan en un recipiente hermético o en el refrigerador durante la noche
- 3 Almacene los biberones y pezones en bolsas de plástico herméticas
- 4 Limpiar las fuentes de alimentos, como cualquier derrames azucaradas y recolección de basura

### Esquema de tratamiento

Se utilizará un gel de fórmula y / o ant estaciones de cebo.

Estaciones de cebo deben dejarse donde el técnico coloca.

Los productos que se utilizan tienen muy baja toxicidad y no tienen ningún humo o el olor. Es no indispensable para personas o animales domésticos abandonar la unidad durante o después de este tratamiento.

### Después de la información sobre el tratamiento

Después del tratamiento, el cebo que debe dejarse donde ha colocado el técnico.

No lo hacen pulverizar cualquier insecticidas o el uso de productos químicos en o cerca de la colocación de cebo de limpieza

Esperar continuar su actividad durante aproximadamente **2-3 semanas** después del tratamiento.

