

MSDS Number: 102000004846 MSDS Version 1.2 Revision Date: 09/03/2008

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MSDS Number EPA Registration No. DELTADUST® INSECTICIDE 102000004846 432-772

Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle PK, NC 27709 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day) For Product Information call: 1-800-331-2867

### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Deltamethrin	52918-63-5	0.05
Quartz (Silica, Crystalline)	14808-60-7	5.05
Crystalline quartz (respirable)		
Calcium carbonate	1317-65-3	

#### **SECTION 3. HAZARDS IDENTIFICATION**

NOTE: Please refer to Section Emergency Overview	on 11 for detailed toxicological information. Caution! May be harmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.
Physical State	solid powder
Odor	weak characteristic
Appearance	white
Routes of Exposure	Skin contact, Eye contact, Inhalation, Ingestion
Immediate Effects Eye	Avoid contact with eyes.
Skin	May be harmful if absorbed through skin. May cause a transient, localized paresthesia, characterized by tingling, burning or numbness sensation in some individuals. Avoid contact with skin and clothing.



MSDS Version 1.2

MSDS Number: 10200004846

# Material Safety Data Sheet DELTADUST® INSECTICIDE

Ingestion	Do not take internally.
Inhalation	May cause respiratory tract irritation. Avoid breathing dust.
Chronic or Delayed Long-Term	This product or its components may have long term (chronic) health effects.
	This product is not listed as a carcinogen by ACGIH, NTP, IARC or OSHA. However, it may contain crystalline silica (quartz), a substance which has been listed as a carcinogen by ACGIH, NTP and IARC. Crystalline silica is a naturally- occurring mineral component of many sands and clays. Although the carcinogenic potential of crystalline silica in humans is controversial, it must be considered if it is inhaled under excessive exposure conditions. The respirable portion of the silica that may be contained in this product, however, is small, such that inhalation exposure during anticipated conditions of use is minimal.
Medical Conditions Aggravated by Exposure	No specific medical conditions are known which may be aggravated by exposure to this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airways disease may be more susceptible to overexposure. Pulmonary and respiratory diseases may be aggravated by exposure to respirable crystalline silica.
Potential Environmental Effect	Extremely toxic to fish and aquatic invertebrates.

SECTION 4. FIRST	AID MEASURES
General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Еуе	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Skin	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.



MSDS Number: 102000004846 MSDS Version 1.2

### Notes to Physician

Treatment

There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

# SECTION 5. FIRE FIGHTING MEASURES Flash point not applicable Suitable Extinguishing Media Carbon dioxide (CO2), Dry chemical, Foam, Water Fire Fighting Instructions Keep out of smoke. Fight fire from upwind position. Cool closed containers/ tanks exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Contain the spread of the fire-fighting media. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Methods for Cleaning Up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
Additional Advice	Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

#### **SECTION 7. HANDLING AND STORAGE**

Handling Procedures	Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.
Storing Procedures	Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.
Work/Hygienic Procedures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
	Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove



MSDS Number: 102000004846 MSDS Version 1.2

soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

### **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

General Protection	<b>General Protection</b> Follow all label instructions. Train employees in safe use of the product.			e use of the product.
	instructions for		etergent and warn	ntaining PPE. If no such n/tepid water. Keep and wash
Eye/Face Protection	Safety glasse or Goggles	S		
Hand Protection	Chemical res	Chemical resistant nitrile rubber gloves		
<b>Body Protection</b>	Wear long-sle	Wear long-sleeved shirt and long pants and shoes plus socks.		
Respiratory Protection	actual or pote	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.		
Exposure Limits				
Deltamethrin Quartz (Silica,	52918-63-5 14808-60-7	OES BCS* ACGIH	TWA	0.02 mg/m3 0.025 mg/m3
Crystalline)		NIOSH OSHA Z1A Z3	REL TWA TWA	0.05 mg/m3 0.1 mg/m3 2.4 millions of particles per cubic foot of air
Calcium carbonate	1317-65-3	Z3 Z3 US CA OEL US CA OEL TX ESL TX ESL TX ESL TX ESL NIOSH NIOSH OSHA Z1 OSHA Z1A OSHA Z1A OSHA Z1A TX ESL TX ESL	TWA TWA PEL TWA PEL ST ESL ST ESL AN ESL AN ESL REL PEL PEL TWA TWA ST ESL AN ESL	0.1 mg/m3 0.3 mg/m3 0.1 mg/m3 0.3 mg/m3 1 ug/m3 1 ug/m3 0.1 ug/m3 0.1 ug/m3 0.1 ug/m3 5 mg/m3 15 mg/m3 15 mg/m3 15 mg/m3 50 ug/m3 5 ug/m3



MSDS Number: 102000004846 MSDS Version 1.2

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white
Physical State	solid powder
Odor	weak characteristic
Bulk Density	55.5 lb/ft <sup>3</sup> (loose)

#### SECTION 10. STABILITY AND REACTIVITY

Hazardous Reactions	No hazardous reactions known.	
	Stable under recommended storage conditions.	

#### SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the technical-grade active ingredient, deltamethrin.

Acute Oral Toxicity	rat: LD50: > 5,050 mg/kg
Acute Dermal Toxicity	rabbit: LD50: > 2,020 mg/kg
Acute Inhalation Toxicity	rat: LC50: > 26.1 mg/l Exposure time: 4 h Determined in the form of dust.
	rat: LC50: > 100 mg/l Exposure time: 1 h Determined in the form of dust. Extrapolated from the 4 hr LC50.
Skin Irritation	rabbit: No skin irritation.
Eye Irritation	rabbit: No eye irritation.
Sensitization	guinea pig: Non-sensitizing.
Chronic Toxicity	Deltamethrin caused neurobehavioral effects (e.g., tremors) in chronic toxicity studies in rats and dogs.

Assessment Carcinogenicity



MSDS Number: 102000004846 MSDS Version 1.2

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH Quartz (Silica, Crystalline) NTP Crystalline quartz (respirable)		14808-60-7	Group A2
IARC Deltamethrin Quartz (Silica, Crystal OSHA None.	line)	52918-63-5 14808-60-7	Overall evaluation: 3 Overall evaluation: 1
Reproductive & Developmental Toxicity	REPRODUCTION: Deltamethrin was not a reproductive toxicant in multi- generation reproduction studies in rats.		
	toxicant in developmenta	al toxicity studies in r sifications) were obs	n was not a primary developmental rats and rabbits. Developmental erved in rabbits at the high-dose but sity.
Neurotoxicity	neuropathological chang studies in rats. In a dev	ges in acute and sub elopmental neurotox	s (e.g., tremors) without correlating chronic neurotoxicity screening icity screening study in rats, hale offspring at the maternally toxic
Mutagenicity	Deltamethrin was not metests.	utagenic or genotoxi	c in a battery of in vitro and in vivo

#### **SECTION 12. ECOLOGICAL INFORMATION**

Environmental Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

### SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Container Disposal	Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.



MSDS Number: 102000004846 MSDS Version 1.2

### **SECTION 14. TRANSPORT INFORMATION**

DOT CLASSIFICATION: Not regulated for Domestic Surface Shipment

FREIGHT CLASSIFICATION: Insecticides or Fungicides, N.O.I.; Other than poison

	SECTION 15. REGULATORY INFORMATION		
<b>EPA Registration No.</b> 432-772			
JS Federal Regulations			
TSCA list			
Quartz (Silica, Crystalline)	14808-60-7		
Calcium carbonate	1317-65-3	nt Natification (40 CED 707, Output D)	
US. Toxic Substances Control Act (TSC None.	CA) Section 12(b) Expo	rt Notification (40 CFR 707, Subpt D)	
SARA Title III - Section 302 - Notificatio None.	n and Information		
SARA Title III - Section 313 - Toxic Che None.	mical Release Reportin	ng	
US States Regulatory Reporting			
CA Prop65			
This product contains a chemical knowr	n to the State of Californ	ia to cause cancer.	
Crystalline quartz (respirable)			
This product does not contain any subs harm.	tances known to the Sta	te of California to cause reproductive	
US State Right-To-Know Ingredients			
Quartz (Silica, Crystalline)	14808-60-7		
		IL, MA, MN MN_RI	
Calcium carbonate	1317-65-3	IL, MA, MN MN, RI	
Calcium carbonate			
Calcium carbonate			
Calcium carbonate			
Calcium carbonate Canadian Regulations Canadian Domestic Substance List	1317-65-3		
Calcium carbonate Canadian Regulations Canadian Domestic Substance List Quartz (Silica, Crystalline)	1317-65-3		
Calcium carbonate Canadian Regulations Canadian Domestic Substance List Quartz (Silica, Crystalline) Environmental	1317-65-3		
Calcium carbonate Canadian Regulations Canadian Domestic Substance List Quartz (Silica, Crystalline) Environmental CERCLA	1317-65-3 14808-60-7		
Calcium carbonate Canadian Regulations Canadian Domestic Substance List Quartz (Silica, Crystalline) Environmental CERCLA None.	1317-65-3 14808-60-7 ants		



### SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association): Health - 1 Flammability - 0 Reactivity - 0 Others - none 0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated due to new system and numbering scheme. Updated for general editorial purposes.

Revision Date: 09/03/2008

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.